53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 1 / 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

MD-GLUE Xtreme Rapidkleber Article number: MGL.X

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Marston Domsel GmbH

Bergheimer Str. 15 53909 Zülpich / GERMANY Phone +49 (0) 22 52 94 15 0 Fax +49 (0) 22 52 17 44

Homepage www.marston-domsel.de E-mail info@marston-domsel.de

Address enquiries to

Technical information info@marston-domsel.de
Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

**Special labelling** EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

EUH210 Safety data sheet available on request.

Contains: Mequinol. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers

People who are allergic to cyanacrylates should avoid the use of the product.

Other hazards

Further hazards were not determined with the current level of knowledge.

#### SECTION 3: Composition / Information on ingredients

#### 3.1 Substances

not applicable

53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 2 / 9

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance
0,1 - < 1	Mequinol
	CAS: 150-76-5, EINECS/ELINCS: 205-769-8, EU-INDEX: 604-044-00-7
	GHS/CLP: Repr. 2: H361d - Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 3: H412

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** Do not pull solidified product from skin forcibly.

When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Do not open bonded eyelids forcibly and without any special care.

Shield unaffected eye.

**Ingestion** Keep airways free.

Do not induce vomiting. Get medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet

## 5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO), irritant gases/vapours.

Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment.

High risk of slipping due to leakage/spillage of product.

Keep away from all sources of ignition.

# Safety Data Sheet (UK REACH) (GB) GLUE Xtreme Rapidkleber Article number MGL.X

## Marston Domsel GmbH 53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 3 / 9

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Allow to solidify.

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Keep away from all sources of ignition.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Keep away from water.

Recommended storage temperature: 2-8 °C.

Keep container tightly closed.

Protect from atmospheric moisture and water.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 4 / 9

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Pay attention to dust limit value (ACGIH-2011: 10 mg/m³ particle inhalable; 3 mg/m³ particle

respirable).

**Eye protection** Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.
In full contact:

≥ 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

**Skin protection** Light protective clothing.

Other Avoid contact with eyes and skin.

Do not inhale gases/vapours.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

**Respiratory protection** Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liauid Color colourless Odor odourless **Odour threshold** not applicable pH-value not applicable pH-value [1%] not applicable Boiling point [°C] 176 - 182 Flash point [°C] 111 - 130

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 1,12 (20 °C / 68,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water insoluble

No information available. Solubility other solvents Partition coefficient [n-octanol/water] No information available. Kinematic viscosity See product information Relative vapour density No information available. **Evaporation speed** No information available. Melting point [°C] No information available. **Auto-ignition temperature** No information available. Decomposition temperature [°C] No information available. Particle characteristics No information available.

#### 9.2 Other information

No information available.

53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 5 / 9

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

Reactions with water. Risk of polymerisation.

#### 10.4 Conditions to avoid

Strong heating.

Water

Polymerizes slowly on exposure to water (moisture).

### 10.5 Incompatible materials

See SECTION 10.3.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Acute dermal toxicity

Acute inhalational toxicity

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

**Respiratory or skin sensitisation** May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

MutagenicityBased on the available information, the classification criteria are not fulfilled.Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## 11.2 Information on other hazards

**Endocrine disrupting properties** No information available.

Other information none

## SECTION 12: Ecological information

#### 12.1 Toxicity

# Marston Domsel GmbH 53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 6 / 9

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant
Biological degradability

not determined not determined

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Endocrine disrupting properties

No information available.

#### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not allow product to reach the drainage.

The product is insoluble in water.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### **Product**

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 080499

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Contaminated packing should be disposed of as product waste.

Waste no. (recommended) 150102

150101 150104

## **Marston Domsel GmbH** 53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 7 / 9

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

## Marston Domsel GmbH 53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 8 / 9

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) < 3%

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

# Marston Domsel GmbH 53909 Zülpich



Date printed 21.02.2022, Revision 21.02.2022

Version 05. Supersedes version: 04

Page 9 / 9

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Customs Tariff not determined

Classification procedure

Modified position SECTION 3 deleted: 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol

Copyright: Chemiebüro®